



## Rabbit polyclonal antibody to human Matrix metalloproteinase 9 (689-705): Affinity purified

<b>Catalogue No.:</b>	R-1476-100
<b>Description:</b>	Matrix metalloproteinase 9 (MMP-9) cleaves collagen types IV and type V and gelatin types 1 and V. MMP-9 has a possible role in local proteolysis of the extracellular matrix and in leukocyte migration (Ref: SWISSPROT).
<b>Batch No.:</b>	See product label
<b>Unit size:</b>	100 ug
<b>Antigen:</b>	A synthetic peptide corresponding to a region (689-705 aa) from human Matrix metalloproteinase 9.
<b>Antigen Location:</b>	689-705
<b>Other Names:</b>	Matrix metalloproteinase 9; MMP-9; 92 kDa gelatinase; 92 kDa type IV collagenase; Gelatinase B; GELB; 67 kDa matrix metalloproteinase-9; 82 kDa matrix metalloproteinase-9; MMP9; CLG4B;
<b>Accession:</b>	P14780 MMP9_HUMAN;
<b>Produced in:</b>	Rabbit
<b>Applications:</b>	Western Blotting (WB) and Immunohistochemistry (IHC). A concentration of 1.0 ug/mL is recommended for WB. Human MMP-9 (precursor) has a predicted length of 707 amino acids and MW of 78 kDa. A concentration of 1.0 ug/mL is recommended for IHC to detect the protein in formalin fixed and paraffin embedded tissues. Heat mediated antigen retrieval is required. Biosensis recommends optimal dilutions/concentrations should be determined by the end user.
<b>Specificity:</b>	The specificity of this antibody has been confirmed by WB (Human, Rat) and IHC (Human) against the antigen.
<b>Antibody Against:</b>	Matrix metalloproteinase 9
<b>Cross-reactivity:</b>	Human; rat; predicted to react with mouse due to sequence homology
<b>Form:</b>	Lyophilised with 5mg BSA, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg Thimerosal, 0.05mg NaN <sub>3</sub>
<b>Appearance:</b>	White powder
<b>Reconstitution:</b>	Reconstitute in 100 uL of sterile distilled water to achieve an antibody concentration of 1 mg/mL. Centrifuge to remove any insoluble material.
<b>Storage:</b>	At least 12 months after purchase at 2-8C (lyophilized formulations). After reconstitution, aliquot and store at -20C for a higher stability. Avoid freeze-thaw cycles.
<b>Expiry Date:</b>	12 months after purchase

---

FOR RESEARCH USE ONLY