

## Rabbit polyclonal antibody to human Transcription factor p65 (129-144): Affinity purified

<b>Catalogue No.:</b>	R-1092-100
<b>Description:</b>	p65 is a subunit of the pleiotropic transcription factor nuclear factor kappa B (NFkB). NFkB is present in almost all cell types and is involved in many biological processes including inflammation, immunity, differentiation, cell growth, tumorigenesis and apoptosis. At least 4 isoforms of this protein are produced by alternative splicing.
<b>Batch No.:</b>	See product label
<b>Unit size:</b>	100 ug
<b>Antigen:</b>	A synthetic peptide (AISQRIQTNNPFQVP) corresponding to a region (129-144) from human Transcription factor p65. To enhance the immunological response, this peptide was coupled to carrier protein BSA.
<b>Other Names:</b>	NFkB p65; Nuclear factor NF-kappa-B p65 subunit; RELA; NFKB3;
<b>Accession:</b>	Q04206 TF65_HUMAN;
<b>Produced in:</b>	Rabbit
<b>Purity:</b>	Affinity purified on antigen column
<b>Applications:</b>	Western Blotting (WB). A concentration of 1.0 ug/mL is recommended for WB. Human Transcription factor p65 (isoform p65) has a predicted length of 551 residues and MW of 60 kDa. Biosensis recommends optimal dilutions/concentrations should be determined by the end user.
<b>Specificity:</b>	The specificity of this antibody has been confirmed by WB against the antigen.
<b>Cross-reactivity:</b>	Human
<b>Form:</b>	Lyophilised with 5mg BSA, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg Thimerosal, 0.05mg Na <sub>3</sub>
<b>Reconstitution:</b>	Reconstitute in 100 uL of sterile distilled water to achieve an antibody concentration of 1 mg/mL. Centrifuge to remove any insoluble material.
<b>Storage:</b>	At least 12 months after purchase at 2-8C (lyophilized formulations). After reconstitution, aliquot and store at -20C for a higher stability. Avoid freeze-thaw cycles.
<b>Expiry Date:</b>	12 months after purchase

---

FOR RESEARCH USE ONLY

---