

## Mouse monoclonal antibody to Cyclin-dependent kinase 6 [IML-6]: IgG

<b>Catalogue No.:</b>	M-1174-100
<b>Description:</b>	Cyclin-dependent kinase 6 (CDK6) belongs to the cyclin-dependent protein kinase family. CDK6 is a subunit of the protein kinase complex that is important for cell cycle G1 phase progression and G1/S transition.
<b>Batch No.:</b>	See product label
<b>Unit size:</b>	100 ug
<b>Antigen:</b>	Recombinant human Cyclin-dependent kinase 6 (CDK6)
<b>Clone:</b>	IML-6
<b>Other Names:</b>	Cell division protein kinase 6; Serine/threonine-protein kinase PLSTIRE; CDK6; Crk2; p40;
<b>Accession:</b>	Q00534 CDK6_HUMAN;
<b>Produced in:</b>	Mouse
<b>Purity:</b>	IgG
<b>Applications:</b>	Western Blotting (WB). A concentration of 0.5-1.0 ug/mL is recommended for WB. Human CDK6 has a predicted length of 326 residues and MW of 37 kDa. Biosensis recommends optimal dilutions/concentrations should be determined by the end user.
<b>Specificity:</b>	The specificity of this antibody has been confirmed by WB against the antigen.
<b>Cross-reactivity:</b>	Human; mouse; rat;
<b>Form:</b>	Lyophilized from 1.2% sodium acetate, 2mg BSA, 0.01mg NaN3
<b>Reconstitution:</b>	Reconstitute in 1 mL of PBS (pH 7.4) to achieve an antibody concentration of 100 ug/mL. Centrifuge to remove any insoluble material.
<b>Storage:</b>	At least 12 months after purchase at 2-8C (lyophilized formulations). After reconstitution, aliquot and store at -20C for a higher stability. Avoid freeze-thaw cycles
<b>Expiry Date:</b>	12 months after purchase

---

FOR RESEARCH USE ONLY

---